

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	(US-20020064408-\$ or US-20040234310-\$ or US-20040213603-\$).did. or (US-6226490-\$ or US-6577842-\$ or US-6192212-\$ or US-5906906-\$). did.	US-PGPUB; USPAT	OR	ON	2005/07/01 13:54
L2	7	1 and carrier	US-PGPUB; USPAT	OR	ON	2005/07/01 14:20
L7	1	1 and carrier and band	US-PGPUB; USPAT	OR	ON	2005/07/01 14:36
L8	2	1 and carrier and coating	US-PGPUB; USPAT	OR	ON	2005/07/01 14:51
L9	22	("399"/\$.ccls. g03g\$.ipc.) and toner adj band	US-PGPUB; USPAT	OR	ON	2005/07/01 17:09
L10	33	("399"/\$.ccls. g03g\$.ipc.) and toner adj band	EPO; JPO; DERWENT	OR	ON	2005/07/01 15:58
L11	2	"09265243"	EPO; JPO; DERWENT	OR	ON	2005/07/01 16:37
L12	3	"2002311775"	EPO; JPO; DERWENT	OR	ON	2005/07/01 16:37
L13	4402	("399"/\$.ccls. g03g\$.ipc.) and resin adj3 layer	US-PGPUB; USPAT	OR	ON	2005/07/01 17:09
L14	2060	("399"/\$.ccls. g03g\$.ipc.) and resin adj1 layer	US-PGPUB; USPAT	OR	ON	2005/07/01 17:09
L15	2060	("399"/\$.ccls. g03g\$.ipc.) and resin adj layer	US-PGPUB; USPAT	OR	ON	2005/07/01 17:09
L16	664	("399"/\$.ccls. g03g\$.ipc.) and resin adj layer with (thick thickness)	US-PGPUB; USPAT	OR	ON	2005/07/01 17:10
L17	400	("399"/\$.ccls. g03g\$.ipc.) and resin adj layer with (thick thickness) and carrier	US-PGPUB; USPAT	OR	ON	2005/07/01 17:10
L18	61	("399"/\$.ccls. g03g\$.ipc.) and resin adj layer with (thick thickness) and carrier with resistivity	US-PGPUB; USPAT	OR	ON	2005/07/01 17:10
L19	38	("399"/\$.ccls. g03g\$.ipc.) and resin adj layer with (thick thickness) and carrier with resistivity and contrast	US-PGPUB; USPAT	OR	ON	2005/07/01 17:14
L20	0	("399"/\$.ccls. g03g\$.ipc.) and resin adj layer with (thick thickness) and carrier with resistivity and contrast	EPO; JPO; DERWENT	OR	ON	2005/07/01 17:14
L21	367	("399"/\$.ccls. g03g\$.ipc.) and resin adj layer with (thick thickness)	EPO; JPO; DERWENT	OR	ON	2005/07/01 17:14
L22	18	("399"/\$.ccls. g03g\$.ipc.) and carrier with resistivity and contrast	EPO; JPO; DERWENT	OR	ON	2005/07/01 17:18

L23	136	("399"/\$.ccls. g03g\$.ipc.) and carrier with resistivity and contrast with (potential voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/01 18:21
L24	6494	("399"/\$.ccls. g03g\$.ipc.) and toner with powder with surface	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/01 18:23
L25	188	("399"/\$.ccls. g03g\$.ipc.) and toner with (inorganic resin) adj powder with surface	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/01 18:23
L26	37	("399"/\$.ccls. g03g\$.ipc.) and toner with (inorganic resin) adj powder with surface and fuji	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/01 18:29
L27	249	("399"/\$.ccls. g03g\$.ipc.) and crosslinked with siloxane	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/01 18:29
L28	85	("399"/\$.ccls. g03g\$.ipc.) and crosslinked with siloxane with (photoreceptor photoconductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/01 18:30
L29	5	("399"/\$.ccls. g03g\$.ipc.) and crosslinked with siloxane with (photoreceptor photoconductor) same bond	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/01 18:31
L30	3	"2001042556"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/01 18:31
S1	0	("US20040234310").PN.	US-PGPUB; USPAT	OR	OFF	2005/06/30 17:09
S2	1	("20040234310").PN.	US-PGPUB; USPAT	OR	OFF	2005/06/30 17:09
S3	577	399/120,358-360.ccls.	US-PGPUB; USPAT	OR	ON	2005/06/30 17:38
S4	1413	399/120,358-360.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 17:59
S5	154	S4 and ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 17:48

S7	5	399/120,358-360.ccls. and (recovered recycled reused) with percent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 18:01
S8	13	399/120,358-360.ccls. and (recovered recycled reused) with content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 18:01
S9	26	399/120,358-360.ccls. and (recovered recycled reused) with weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 18:02